




# PRODUCT LINE



*Dependable by design.™*



## MODELS & SPECIFICATIONS

MODEL	HORSEPOWER	kW	CAPACITY (CFM at 125 psi)	PRESSURE RANGE (psi)
<b>RECIPROCATING</b>	5-13	3.7-9.7	16-34.4	100-150
LSC-Series (Line Shaft)	15-60	11.2-44.7	49-265	100-150
M/MCDF/MCDD-Series	5-10	3.7-7.5	18-32	125-175
DCDD-Series	15-30	11.2-22.4	49-125	120/130
D-Series	15-40	11.2-30	49-166	125-175
DG-Series	25-50	18.6-37.3	105-205	125-175
UD-Series	40-60	30-44.7	160-261	100-175
SP16-Series	75-125	55.9-93.2	338-530	100-175
SP20-Series	125-300	93.2-223.7	540-1145	100-175
SP32-Series	300-450	223.7-335.5	1566-1770	100-175
VFD-Series	15-450	11.2-335.5	53-1770	100-150
<b>ELECTRIC CONSTRUCTION COMPRESSORS</b>				
50UD-ECC	50	37.3	210	150
SP16-100 ECC	100	74.6	440	150
SP20-200 ECC	200	149.1	750	150
SP20-250 ECC	250	186.4	900	150
SP20-300 ECC	300	223.7	1150	150
SP32-400 ECC	400	298.3	1490	150
SP32-450 ECC	450	335.6	1600	150
<b>OIL FREE</b>				
Oil Less Recip.	1-10	.7-7.5	3-30	120-175

\*Capacity in accordance with CAGI / ISO 1217 (Annex C / Annex E)



## MODELS & SPECIFICATIONS

MODEL	ENGINE	CAPACITY (CFM)	PRESSURE (psi)	HORSEPOWER
D110PKU	Kubota (T4F)	110	100	24
D185PKR	Kohler (T4F)	185	100	48.8
D185PIZ4	Isuzu (T4F)	185	100	49
D210PHKR	Kohler (T4F)	210	100/150	74
D260PDKR	Kohler (T4F)	260/185	100/150	74
D375PHJD4	John Deere (T4F)	375	100/150	140
D400PHHJD4	John Deere (T4F)	400	90-200	173
D450PJD4	John Deere (T4F)	450	100	140
D750PH4CU5	Cummins (T4F)	750	100/150	310
D750PHCA4	Caterpillar (T4F)	750	100/150	350
D825PH4CU5	Cummins (T4F)	825	100/150	310
D825PHCA4	Caterpillar (T4F)	825	100/150	350
D900PH4CU5	Cummins (T4F)	900	100/150	310
D900PHCA4	Caterpillar (T4F)	900	100/150	350
D1600PH1CU4	Cummins (T4F)	1600	100/150	535
D1600PH1CA4	Caterpillar (T4F)	1600	100/150	540
<b>HIGH PRESSURE</b>				
D1150PXHD1CA4	Caterpillar (T4F)	1150/900	350/500	540
D1150PXHD1CU4	Cummins (T4F)	1150/900	350/500	535
<b>UTILITY MOUNT</b>				
D110UKU	Kubota (T4F)	110	100	24
D185UIZ	Isuzu (T4F)	185	100	49
D210UHJD4PTOW	John Deere (T4F)	210	100/150	74
D260UJD4PTOW	John Deere (T4F)	260	100	74

\*All models show above are Tier 4 Final diesel powered portable air compressors



# SPECIALTY EQUIPMENT



Electric  
Construction  
Compressors



Utilities  
110-260 CFM



375-1600 CFM  
Offshore



Aftercooler/Dryer  
Skid Packages




Regenerative Dryers



Refrigerated Air Dryers



Filters



OEM Air Ends



Pneumatic Tools

## Sullivan-Palatek, Inc.

1201 West US Highway 20  
Michigan City, IN 46360



219.874.2497



sullivan-palatek.com



info@palatek.com